



Fleet Numerical Meteorology & Oceanography Center

Operations N3 Data Ingest

January 2012

LT Stan Rogers
FNMOOC Operations
Fleet Liaison Officer





Team Function

The Data Ingest Team implements, evaluates, maintains and improves:

- (1) Decoding and quality control systems for both conventional and satellite remotely-sensed METOC data
- (2) Software systems to manage both real-time and historical METOC model output and observational data, and provide these products in standard formats for transmission to external customers.
- (3) Interagency coordination and support among the nations OPC's (COPC, CSAB, ODAA, CCM, OCM)

The Data Ingest Team will understand the flow of data and their associated functionalities through out the enterprise from ingest to distribution.




Overview

1. Data Ingest
 - a. Conventional observation new data types
 - b. Satellite new data types
2. Quality Control and Data Preparation (QC)
 - a. ATMOSPHERIC (TRANSMET and SAT_FGGE)
 - b. OCEANOGRAPHIC (NCODA)
3. Satellite Data Processing
 - a. Radiances, retrievals, profiles, and feature track winds for NWP
 - b. Tactical imagery – Sat_focus
 - c. Tropical Cyclone tracking - TCWEB
4. Interagency Support
 - a. Committee Operational Processing Centers (COPC)
 - b. Cooperative Support and Backup (CSAB)
 - c. Joint Action Groups (JAGS) - Acquisition/Assimilation, Communications, Modeling



METOC Data Flow






Ship Weather Reports



Ship/Coastal Coverage
2007050100 late

Fixed Ship		Coastal Surface/Marine		Mobile Ship	
count -----	215	count -----	9776	count -----	700
locations ---	75	locations ---	340	locations ---	647



UNCLASSIFIED




Buoy Observations



Buoy Coverage
2007050100 late

Fixed
count ----- 2178
locations --- 433

Drifting
count ----- 8114
locations --- 4366



UNCLASSIFIED




RADIOSONDE Observations

Raob Coverage
2007050100 late



Dropsonde		Ship		Land		75% Land, past 30 days	
count -----	0	count -----	6	count -----	618	count -----	588
locations ---	0	locations ---	6	locations ---	613	locations ---	588



UNCLASSIFIED




AIRCRAFT Reports



AMDAR Coverage
2007050100 late

AMDAR		German AMDAR		Canadian AMDAR	
count -----	9234	count -----	2923	count -----	11459
locations ---	8107	locations ---	2733	locations ---	9925



UNCLASSIFIED

COMMERCIAL
airplanes





SATELLITE Water Vapor, Wind Speed, Rain Rate





SSM/I Coverage
2007050100 late

F13
count ----- 38571
locations --- 31625

F14
count ----- 35604
locations --- 30735

F15
count ----- 0
locations --- 0

F16
count ----- 53406
locations --- 48649



UNCLASSIFIED




SATELLITE WINDS


CIMSS/Univ. of Wis., Satellite Feature Tracked Winds Coverage
2007050100 late



METEOSAT 9		METEOSAT 7		MTSAT-1R		GOES-11		GOES-12	
count -----	93287	count -----	16836	count -----	21240	count -----	44935	count -----	32600
locations ---	89995	locations ---	16397	locations ---	20677	locations ---	44011	locations ---	29720



UNCLASSIFIED






Working On

- Conventional Observations New Data Types
 - UAVs/GLIDERS - (Unmanned Aerial/Oceanographic Vehicles) - NAVO
 - Navy ACARS - (Aircraft Communications Addressing and Reporting System for Aircraft Meteorological Data Relay for P-8A MMA) - NAVAIR
 - European AMDARS - Aircraft Meteorological Data Relay System - AFWA
 - J-OBS - (Joint Observations Submission) – web based
 - RRS - (Radiosonde Replacement System) GPS based - NWS TOC
 - NSW Directorate Iridium Wave Buoys/Atmospheric Sensors - CNMOC
 - Weather Extractor Computer - LBSF&I Volumetric Radar scans from the SHIP to SHORE - Communication SFTP IA constraints - SPAWAR




METOC Data Flow





MET_QC Including Model Ingest





NCODA Features

Analysis Features


- 34 levels (surface – 5000 m depth)
- Varying configurations (grid domain/resolution)
- 12 and 24 hours Ops cycle frequency

NCODA Products:


- Surface boundary conditions for NOGAPS and COAMPS.
- $\frac{1}{4}^\circ$ analysis provided to AFWA
- Ice concentration analyses provided to National Ice Patrol.
- The 3-D fields are used by TOPS, WebSAR, and the GFDN applications.
- Basis for ASW products for NAVO backup capability if needed.
- Significant Wave Height Analysis, 3QFY09 ops
- Scheduled upgrades:
 - First guess for WW3 (coupled), awaiting AMOP approval 4QFY09

07 Sept 2006 SST Analysis

FNMO C Hi-Res NCODA: SST Analysis (C) 07 Sep 2006 12Z



FNMO C Hi-Res NCODA: SST-Climate Anomaly (C) 07 Sep 2006 12Z





QC/Data Preparation Accomplishments

- A. Creation of hourly t-files and fgge files for CAAPS
 - Align same data with classified obs with same science NAVDAS, NAVDAS-AR, and NAVDAS-AOD versus MVOI. Align global model radiance assimilation with regional mesoscale functionality. Need coordination with NRL, PMW120, and CNMOC.
- B. Transition to fully understand and optimize CDS solutions.
- C. Implementation of classified observations into NCODA on newly refreshed A2 platforms (COA2) plans.



Satellite Data Processing

- A. Radiances for NWP – AMSU, AIRS, IASI**
- B. Plans for use of Suomi data, transition to new NPP processing platforms.**
- B. Tactical Imagery production for SAT_FOCUS, NEP-Oc integration.**
- C. Tropical Cyclone Tracking – TCWEB, NEP-Oc integration and BFT delivery of MTIFF to JTWC**



SATELLITE RADIANCES



AMSUA Radiance Scan Locations Coverage
2007050100 late

NOAA 15

count ----- 84750
locations --- 81243

NOAA 16


count ----- 84150
locations --- 80970

NOAA 18

count ----- 53760
locations --- 51845

METOP-A

count ----- 81330
locations --- 81074




UNCLASSIFIED





Tropical Cyclone Web Page (TCWeb)


- Multi sensor , data and imagery fusion
- Aids JTWC and NHC forecasters and analysts in determining more accurate storm positions and intensities
- Available to the public
 - u.l. – GOES IR (color enhance)
 - u.r. –GOES VIS
 - l.l. - SSMI PCT/ GOES VIS
 - l.r. – SSMI Composite/ GOES VIS
- New data types include AMSR-E, MSG, AQUA, TERRA, QUIKSCAT, WINDSAT, SSMIS





SIPRNET Satellite Focus

- FNMOC presentation of operational satellite products
- In response to user request, region specific
 - Arabian Sea, Afghanistan, Persian Gulf
 - Where next?
- MODIS, SeaWiFS true color/dust enhancement, feature tracking winds
- New products – low cloud over snow, low clouds at night, convective cloud top heights
- MODIS dust enhancement over the Northern Arabian Sea, true color over land. Dust over the ocean appears as shades of pink. Dry lakebeds over land (often representing sources of dust) are also indicated in pink.
- Horizontal resolution of the data is 0.5 km.





Satellite Working On

New Satellite Data Types

- a. METOP – 3rd polar satellite in the NPOESS constellation (McMurdo)
- b. NOAA - IJPS follow on with METOP C,D,E program
- c. MODIS, AIRS, IASI, ASCAT, AVHRR 1km – NESDIS via DATMS-U
 - Issue: Bandwidth upgraded needed.
- d. DMSP F18 – September 2009, UPP data for NWP, cal/val ongoing
- e. Altimetry – Jason2/Envisat wave height and sea surface height

Satellite Programs

- a. Defense Meteorological Satellite Program – SSMI/S Cal/Val Team
 - Integrating DMSP ingest upgrade for continued real time backup
- b. WindSAT – NRL DC Risk Reduction for NPOESS MIS
- c. National Polar Orbiting Environmental Satellite System (NPOESS)
- d. FMQ-17 upgrades
 - Issues: Facilities, DQM/E, NOGAPS/NAAPS ancillary data source
 - NPP data access and POM10 alignment, IDPS Installation Dates



Interagency Support

- Committee Operational Processing Centers (COPC)
- Cooperative Support and Backup (CSAB)
- Joint Action Working Groups – Acquisition and Assimilation, Communications Management, Modeling
- Joint Center for Satellite Data Assimilation
 - Issues
 - NUOPC concerns
 - MOA – Data Acquisition Processing Exchange (DAPE)
 - Satellite Annex and Satellite CONOPS (TR-1) updates and IA
 - Modeling CONOPS (Navy non-concur on WRF)
 - NPOESS Data Exploitation (backup and functionality)



Questions?